

# SNOWPLOWS



**SNOWDOGG<sup>®</sup>**  
by Buyers

**2013-2014**



# SNOW DOGG SNOWPLOW SPECS

MODEL	WIDTH	BLADE HEIGHT	MATERIAL	THICKNESS	ANGLE CYLINDERS	LIFT CYLINDER	KINGPIN SIZE	WIDTH AT ANGLE	RIBS	SPRINGS	TRIP STYLE	CUTTING EDGE	WEIGHT <sup>1</sup>	DEFLECTOR	SHOES
MD68	80"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	69.2"	6	2	Full	3/8" x 6"	380 lbs.	Std.	Cast
MD75	90"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	78"	8	2	Full	3/8" x 6"	400 lbs.	Std.	Cast
MD80	96"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	83"	10	2	Full	1/2" x 6"	439 lbs.	Std.	Cast
VMD75	90"	26"/33"	SS	.075"	1½" x 1¾ x 12"	1½" x 6"	1"	78"	6	4	Edge	3/8" x 6"	700 lbs.	Std.	Opt.
HD75	90"	29"	SS	.105"	1½" x 12"	2" x 6"	1⅞"	78"	9	4	Full	3/8" x 6"	680 lbs.	Std.	Cast
HD80	96"	29"	SS	.105"	1½" x 12"	2" x 6"	1⅞"	83"	9	4	Full	3/8" x 6"	700 lbs.	Std.	Cast
EX75	90"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅞"	78"	9	4	Full	1/2" x 6"	745 lbs.	Std.	Cast
EX80	96"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅞"	83"	9	4	Full	1/2" x 6"	765 lbs.	Std.	Cast
EX85	102"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅞"	88.3"	9	4	Full	1/2" x 6"	785 lbs.	Std.	Cast
EX90	108"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅞"	93.5"	9	4	Full	1/2" x 6"	805 lbs.	Std.	Cast
TE75	90"	31"	SS	.105"	1½" x 12"w	2" x 6"	1⅞"	78"	8	4	Edge	1/2" x 6"	705 lbs.	Std.	Cast
TE80	96"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅞"	83"	8	4	Edge	1/2" x 6"	772 lbs.	Std.	Cast
TE90	108"	31"	SS	.105"	1½" x 12"	2" x 6"	1⅞"	94"	8	4	Edge	1/2" x 6"	812 lbs.	Std.	Cast
VXF85	102"	29"/37"	SS	.105"	1½" x 1¾ x 12"	2" x 6"	1"	88"	8	4	Edge	1/2" x 6"	978 lbs.	Std.	Opt.
VXF95	114"	29"/37"	SS	.105"	1½" x 1¾ x 12"	2" x 6"	1"	99"	8	4	Edge	1/2" x 6"	998 lbs.	Std.	Opt.
XP810	96"-120"	29"	SS	.105"	1½" x 12"	2" x 6"	1⅞"	104"	9	4	Full	1/2" x 6"	1021 lbs.	Std.	Cast
CM100	120"	31"	SS	.105"	2" x 12"	2" x 6"	1⅞"	104"	10 <sup>2</sup>	6	Full	5/8" x 6"	1084 lbs.	Std.	Cast

<sup>1</sup> Weight Not Including Truck Mount, 40-80lbs. Typical Weight; <sup>2</sup> 2 Are Diagonal



**NOTHING WORKS LIKE A DOGG™**

## MD Series

### Typical Application:

1/2-Ton, 3/4 -Ton, Light-Duty Trucks, & SUV's



## FEATURES

- Medium duty plow
- Half the weight of EX plows
- Most trucks without OEM plow prep packages, lighter duty trucks, and SUV's can handle an MD plow

*Ideal for: Small business owners and light duty commercial users*

## VMD Series

### Typical Application:

Plow Prep. 1/2-Ton Trucks

## FEATURES

- Power of VXF Series but for plow prep 1/2-Ton trucks
- Flared wings for moving & throwing snow

*Ideal for: Small business owners and light duty commercial users*



All SnowDogg®  
Plows are



## HD/EX Series

Typical Application:  
Plow Prep. 3/4-Ton, 1-Ton,  
& Super Duty Trucks



shown with  
Optional  
Plow Wings

### FEATURES

- Simple and reliable operation
- Every feature has been optimized
- SnowDogg® HD/EX plow wings are the perfect accessory to add a full 24" to your plowing width (see pg. 10 for more details)

*Ideal for: Commercial users who rely on their equipment to get the job done*



## TE Series

Typical Application:  
Plow Prep. 3/4-Ton, 1-Ton,  
& Super Duty Trucks

### FEATURES

- Best of the HD/EX Series brought to a reliable trip edge design
- Deflectors, shoes and a heavy-duty cutting edge included as standard items
- Trip edge mechanism keeps the snow in front of your plow
- Smooth tripping action

*Ideal for: Commercial users who prefer the smooth operation of a trip edge plow*

All SnowDogg®  
Plows are 

## VXF Series

*Typical Application:  
3/4-Ton and Larger Trucks*

### FEATURES

- Takes the toughness and reliability of the EX Series & puts it in a V-Plow
- Regenerative hydraulics give you the speed you want
- Double acting cylinders mean REAL back dragging is standard
- The trip edge mechanism ensures smooth operation

*Ideal for: Commercial users who want the power and flexibility of a V-plow.  
Flared wings for moving and throwing snow*



## XP Series

*Typical Application:  
3/4-Ton and Larger Trucks*

### FEATURES

- Hydraulically expanding wings add a full 24" to your plowing width
- Wings allow you to adjust your width on the fly

*Ideal for: Commercial users who rely on their equipment to get the job done*



## CM Series

*Typical Application:  
10,000 - 29,000 GVWR*

### FEATURES

- Heavy-Duty plow in a commercial duty package
- 6 trip springs
- Tough quadrant/sector configuration

*Ideal for: Commercial users and municipal applications*

